

## Distributivni blokovi

Postavljanje na DIN sinu ili tablu

U skladu sa UL-normama

Brzo i lako postavljanje

80% uštede na prostoru

Modularna konstrukcija, sistem od 1 – 4 pola, može se praviti od nekoliko blokova


Zastita IP20



Friedrich Göhringer GmbH  
www.ftg-goehring.de

## Distributivni blok sa 1 polom

Artikal	In (A) IEC	Provodnik	Veza	In (A) UL	Dimenzije (LxWxH) mm	Ulaz (mm <sup>2</sup> )	Izlaz (mm <sup>2</sup> )	Cena (din)
38049	80	Cu		80	66 x 27 x 47	1 x 2,5 - 16	4 x 2,5 - 6 2 x 2,5 - 16	545,00
38049PE	80	Cu		80	66 x 27 x 47	1 x 2,5 - 16	4 x 2,5 - 6 2 x 2,5 - 16	545,00
38049AL	80 63	Cu Al		115	66 x 27 x 47	1 x 2,5 - 16	4 x 2,5 - 6 2 x 2,5 - 16	545,00
38041	125	Cu	<i>Moguca paralelna veza sa 3080</i>		74 x 27 x 47	1 x 10 - 35 1 x 2,5 - 16	6 x 2,5 - 16	1.154,00
38041PE	125	Cu	<i>Moguca paralelna veza sa 3080</i>		74x 27 x 47	1 x 10 - 35 1 x 2,5 - 16	6 x 2,5 - 16	1.154,00
38041N	125	Cu	<i>Moguca paralelna veza sa 3080</i>		74 x 27 x 47	1 x 10 - 35 1 x 2,5 - 16	6 x 2,5 - 16	1.154,00
38041AL	125 100	Cu Al	<i>Moguca paralelna veza sa 3080</i>		74 x 27 x 47	1 x 10 - 35 1 x 2,5 - 16	6 x 2,5 - 16	1.154,00



Proizvodnja elektro instalacionog materijala export import  
Ovlašćeni distributer proizvoda M.Schneider Annaberg GmbH

Trg Oslobođenja 8 21400 Bačka Palanka  
Telefoni: 021/751-174; 6044-218; 754-650  
[www.el-co.rs](http://www.el-co.rs)  
el-co@nadlanu.com



Friedrich Göhringer GmbH  
www.ftg-goehringner.de

## Distributivni blok sa 1 polom

Artikal	In (A) IEC	Provodnik	Veza	In (A) UL	Dimenzije (LxWxH) mm	Ulaz (mm <sup>2</sup> )	Izlaz (mm <sup>2</sup> )	Cena (din)
38083	125	Cu			68 x 35.3 x 45	1 x 10 - 35	1 x 10 - 35 3x 1.5 - 16	
38076	125	Cu		115	71 x 45 x 42.5	1 x 10 - 35	10 x 2.5 - 16	1.565,00
38076AL	125 100	Cu Al			71 x 45 x 42.5	1 x 10 - 35	10 x 2.5 - 16	1.565,00
38074	175	Cu		115	71 x 45 x 42.5	1 x 16 - 70	10 x 2.5 - 16	1.683,00
38074AL	175 125	Cu Al			71 x 45 x 42.5	1 x 16 - 70	10 x 2.5 - 16	1.683,00
38074N	175	Cu			71 x 45 x 42.5	1 x 16 - 70	10 x 2.5 - 16	1.683,00
38074PE	175	Cu			71 x 45 x 42.5	1 x 16 - 70	10 x 2.5 - 16	1.683,00
38064	175 140	Cu Al			72 x 25 x 50	1 x 2.5 - 50	1 x 2.5 - 50	1.320,00



Proizvodnja elektro instalacionog materijala export import  
Ovlašćeni distributer proizvoda M.Schneider Annaberg GmbH

Trg Oslobođenja 8 21400 Bačka Palanka  
Telefoni: 021/751-174; 6044-218; 754-650  
[www.el-co.rs](http://www.el-co.rs)  
el-co@nadlanu.com



Friedrich Göhringer GmbH  
www.ftg-goehringner.de

## Distributivni blok sa 1 polom

Artikal	In (A) IEC	Provodnik	Veza	In (A) UL	Dimenzije (LxWxH) mm	Ulaz (mm <sup>2</sup> )	Izlaz (mm <sup>2</sup> )	Cena (din)
38032	160	Cu	Moguca bocna paralelna veza sa CU 15 x 5	160	92 x 35 x 49	1 x 10 -70	6 x 2.5 - 16	1.847,00
38032AL	160 125	Cu Al	Moguca bocna paralelna veza sa CU 15 x 5		92 x 35 x 49	1 x 10 -70	6 x 2.5 - 16	1.847,00
38020	250	Cu		230	95.5 x 44.5 x 49	1 x 35 - 120	2 x 6 - 35 5 x 1.5 - 16 4 x 1.5 - 10	2.171,00
38020AL	250 200	Cu Al			95.5 x 44.5 x 49	1 x 35 - 120	2 x 6 - 35 5 x 1.5 - 16 4 x 1.5 - 10	2.171,00
38019	400	Cu		310	95.5 x 44.5 x 49	1 x 95 -185	2 x 6 - 35 5 x 1.5 - 16 4 x 1.5 - 10	2.289,00
38019AL	400 300	Cu Al			95.5 x 44.5 x 49	1 x 95 -185	2 x 6 - 35 5 x 1.5 - 16 4 x 1.5 - 10	2.289,00
38044	500	Cu			95.5 x 44.5 x 49	1 x pljosnati Cu 24x6	2 x 6 - 35 5 x 1.5 - 16 4 x 1.5 - 10	



Proizvodnja elektro instalacionog materijala export import  
Ovlašćeni distributer proizvoda M.Schneider Annaberg GmbH


Trg Oslobođenja 8 21400 Bačka Palanka  
Telefoni: 021/751-174; 6044-218; 754-650  
[www.el-co.rs](http://www.el-co.rs)  
el-co@nadlanu.com



Friedrich Göhringer GmbH  
www.ftg-goehringer.de

## Distributivni blok sa 1 polom

Artikal	In (A) IEC	Provodnik	Veza	In (A) UL	Dimenzije (LxWxH) mm	Ulaz (mm <sup>2</sup> )	Izlaz (mm <sup>2</sup> )	Cena (din)
38061	400 300	Cu Al	145 x 40 x 80		145 x 40 x 81	1 x 35 - 240	1 x 35 - 240	2.059,00
38062	800 630	Cu Al	145 x 72 x 80		145 x 72 x 80	1 x 35 - 300	2 x 35 - 300 50 mm širok	3.088,00
38063	800 630	Cu Al	145 x 72 x 80		145 x 72 x 80	2 x 35 - 300	2 x 35 - 300 20 mm širok	3.149,00
38084	550	Cu			76 x 51 x 73	1 x pljos - nati Cu 20x10	4 x 1.5 - 25 4 x 1 - 35	



Proizvodnja elektro instalacionog materijala export import  
Ovlašćeni distributer proizvoda M.Schneider Annaberg GmbH

Trg Oslobođenja 8 21400 Bačka Palanka  
Telefoni: 021/751-174; 6044-218; 754-650  
[www.el-co.rs](http://www.el-co.rs) el-co@nadlanu.com



Friedrich Göhringer GmbH  
www.ftg-goehringer.de

### Spojnik za distributivni blok

Artikal	Spojnik pogodan za	Dimenzija LxW (mm)	Cena (din)
38038	3802	65 x 25	318,00



38026	38119	70 x 30	333,00
-------	-------	---------	--------



### Sabirnica; 27mm korak, pogodan za distributivni blok

Artikal	Poprecni presek	Pogodan za	Polova	Cena (din)
3080/2TE	20 mm <sup>2</sup>	38041	2	88,00



3080/3TE	20 mm <sup>2</sup>	38041	3	105,00
----------	--------------------	-------	---	--------

3080	20 mm <sup>2</sup>	38041	37	959,00
------	--------------------	-------	----	--------



Proizvodnja elektro instalacionog materijala export import  
Ovlašćeni distributer proizvoda M.Schneider Annaberg GmbH

Trg Oslobođenja 8 21400 Bačka Palanka  
Telefoni: 021/751-174; 6044-218; 754-650  
[www.el-co.rs](http://www.el-co.rs) el-co@nadlanu.com




Friedrich Göhringer GmbH  
www.ftg-goehring.de

## Distributivni blok sa 2 pola

Postavljanje na DIN sinu ili tablu

Artikal	In (A) IEC	Dimenzije (LxWxH) mm	Ulaza po polu (mm <sup>2</sup> )	Izlaza po polu	Opis (mm <sup>2</sup> )	Cena (din)
38023	80	88 x 85 x 48	1 x 16	8	8 x 10	
38022	125	129 x 85 x 48	2 x 25	10	10 x 16	
38085	125	66 x 45 x 50	1 x 10-25	6	1 x 10 - 25 5 x 1.5 - 6	817,00
38086	125	133 x 45 x 5	2 x 10 - 35	13	2 x 10 - 25 11 x 2.5 - 6	1.307,00
38122	125	126 x 93 x 48	2x6-16	9	9 x 6 - 10	1.263,00
38123	125	89 x 93 x 48	2 x 6 - 25	9	9 x 6 - 10	1.108,00



Proizvodnja elektro instalacionog materijala export import  
Ovlašćeni distributer proizvoda M.Schneider Annaberg GmbH

Trg Oslobođenja 8 21400 Bačka Palanka  
Telefoni: 021/751-174; 6044-218; 754-650  
[www.el-co.rs](http://www.el-co.rs) el-co@nadlanu.com



Friedrich Göhringer GmbH  
www.ftg-goehringer.de

## Distributivni blok sa 3 pola

Postavljanje na DIN sinu ili tablu

Artikal	Amp	Provodnik	Dimenzije (LxWxH) mm	In (A) UL	Ulaza po polu (mm <sup>2</sup> )	Izlaza po polu (mm <sup>2</sup> )	Cena (din)
38075	125	Cu	80 x 71.5 x 42.5	115	1 x 10 - 35	6 x 2.5 - 16	2.994,00
38075AL	125 115	Cu Al	80 x 71.5 x 42.5		6 x 2.5 - 1.6	6 x 2.5 - 16	2.994,00
38073	175	Cu	80 x 71.5 x 42.5	175	6 x 2.5 - 16	6 x 2.5 - 16	3.058,00
38073AL	175 125	Cu Al	80 x 71.5 x 42.5		6 x 2.5 - 16	6 x 2.5 - 16	3.058,00



Proizvodnja elektro instalacionog materijala export import  
Ovlašćeni distributer proizvoda M.Schneider Annaberg GmbH

Trg Oslobođenja 8 21400 Bačka Palanka  
Telefoni: 021/751-174; 6044-218; 754-650  
[www.el-co.rs](http://www.el-co.rs) el-co@nadlanu.com



Friedrich Göhringer GmbH  
www.ftg-goehringer.de

## Distributivni blok sa 4 pola

Postavljanje na DIN sinu ili tablu

Artikal	Amp	Provodnik	Dimenzije (LxWxH) mm	Ulaza po polu (mm <sup>2</sup> )	Izlaza po polu (mm <sup>2</sup> )	Cena (din)
38005	80	Cu	88 x 85 x 48	1 x 2.5 - 16	8 x 1.5 - 10	1.272,00
38001	125	Cu	129 x 85 x 48	2 x 10 - 35	10 x 2.5 - 16	1.635,00
38027	160	Cu	160.5 x 90 x 50	1 x 10 - 35	3 x 6 - 25 8 x 2.5 - 16	4.178,00
38056	125	Cu	98 x 74.5 x 45	1 x 10 - 35	3 Pola x(5x1.5-6.2x2.5-16) 1 Pol x (4x1.5-6.6x2.5-16)	1.393,00
38101	125	Cu	126 x 96 x 48	2 x 6 - 25	2 x 1.5 - 16 9 x 1.5 - 10	1.768,00
38105	125	Cu	89 x 93 x 48	2 x 6 - 25	7 x 1.5 - 10	1.345,00



Proizvodnja elektro instalacionog materijala export import  
Ovlašćeni distributer proizvoda M.Schneider Annaberg GmbH

Trg Oslobođenja 8 21400 Bačka Palanka  
Telefoni: 021/751-174; 6044-218; 754-650  
[www.el-co.rs](http://www.el-co.rs) el-co@nadlanu.com



Friedrich Göhringer GmbH  
www.ftg-goehringer.de

## Distributivni blok sa 5 polova

Postavljanje na DIN sinu ili tablu

Artikal	Amp	Provodnik	Dimenzije (LxWxH) mm	Ulaza po polu (mm <sup>2</sup> )	Izlaza po polu (mm <sup>2</sup> )	Cena (din)
38075NPE set						
38073	125	Cu	80 x 71.5 x 42.5	1 x 16 - 70	6 x 2.5 - 16	3.058,00
38074N	125	Cu	71 x 45 x 42.5	1 x 16 - 70	10 x 2.5 - 16	1.683,00
38074PE	125	Cu	71 x 45 x 42.5	1 x 16 - 70	10 x 2.5 - 16	1.683,00
38073NPE set						
38073	175	Cu	80 x 71.5 x 42.5	1 x 16 - 70	6 x 2.5 - 16	3.058,00
38074N	175	Cu	71 x 45 x 42.5	1 x 16 - 70	10 x 2.5 - 16	1.683,00
38074PE	175	Cu	71 x 45 x 42.5	1 x 16 - 70	10 x 2.5 - 16	1.683,00



Proizvodnja elektro instalacionog materijala export import  
Ovlašćeni distributer proizvoda M.Schneider Annaberg GmbH



Trg Oslobođenja 8 21400 Bačka Palanka  
Telefoni: 021/751-174; 6044-218; 754-650  
[www.el-co.rs](http://www.el-co.rs)  
el-co@nadlanu.com



Friedrich Göhringer GmbH  
www.ftg-goehringer.de

## Adapter motorstartera za direktno postavljanje na DIN sinu

Artikal	Velicina (mm)	Broj priključaka	Pogodan za npr	Kom u pakovanju	Cena
UMP 45A	45	2	Direktstarter MSS-->zastita, 2x DIN-sina pomichni	5	
UMP 54A	54	2	Direktstarter MSS-->zastita 2x DIN- sina pomichni	5	
UMP 45	45	2	Direktstarter MSS--> zastita 1x DIN- sina pomichni	10	443,00
UMP 90	90	3	Komutacija-Starter-Kombinacija MSS-->2x zastita 1x DIN- sina pomichni	5	700,00
UMP 90E	90	4	Zvezda-Trougao-Kombinacija MSS-->3x zastita 1 X DIN- sina pomichni	5	940,00




Proizvodnja elektro instalacionog materijala export import  
Ovlašćeni distributer proizvoda M.Schneider Annaberg GmbH

Trg Oslobođenja 8 21400 Bačka Palanka  
Telefoni: 021/751-174; 6044-218; 754-650  
[www.el-co.rs](http://www.el-co.rs)  
el-co@nadlanu.com

**FTG**Friedrich Göhringer GmbH  
www.ftg-goehringer.de


## Kleme za pljosnate Cu 3 mm

Artikal	Tip	Ucvrscivanje zavrtnjem	Opseg (mm <sup>2</sup> )	max. A / max radni napon	Kom u pakovanju	Cena
BKGS0603	6 mm <sup>2</sup>	PZ2	1,5 - 6	40 A / 690 V	40	36,00
BKGS1603	16 mm <sup>2</sup>	PZ2	1,5 - 16	63 A / 690 V	20	41,00
BKGS3503	35 mm <sup>2</sup>	PZ2	1,5 - 35	100 A / 690 V	20	48,00
BKGS3503	35 mm <sup>2</sup>	SW5	1,5 - 35	100 A / 690 V	20	48,00



## Kleme za pljosnate Cu 5 mm

BKS1605	16 mm <sup>2</sup>	PZ2	1,5 - 16	180 A / 690 V	40	40,00
BKS3505	35 mm <sup>2</sup>	SW13/PZ3	1,5 - 35	270 A / 690 V	20	65,00
BKS5005	50 mm <sup>2</sup>	SW13/PZ3	1,5 - 50	315 A / 690 V	20	87,00
BKS7005	70 mm <sup>2</sup>	SW13/PZ3	16 - 70	400 A / 690 V	10	119,00
BKS12005	120 mm <sup>2</sup>	SW17PZ4	16 - 120	440 A / 690 V	10	194,00
BKS18505	185 mm <sup>2</sup>	SW17PZ4	16 - 185	500 A / 690 V	10	250,00

Proizvodnja elektro instalacionog materijala export import  
Ovlašćeni distributer proizvoda M.Schneider Annaberg GmbHTrg Oslobođenja 8 21400 Bačka Palanka  
Telefoni: 021/751-174; 6044-218; 754-650  
[www.el-co.rs](http://www.el-co.rs)  
el-co@nadlanu.com



Friedrich Göhringer GmbH  
www.ftg-goehringer.de


### Kleme za pljosnate Cu 5 mm

Artikal.	Tip	Ucvrscivanje zavrtnjem	Opseg (mm <sup>2</sup> )	max. A / max radni napon	Kom u pakovanju	Cena
BKSN12005	120 mm <sup>2</sup>	SW17/PZ4	16 - 120	440 A / 690 V	10	198,00
BKSN18505	185 mm <sup>2</sup>	SW17/PZ4	16 - 185	500 A / 690 V	10	262,00



### Kleme za pljosnate Cu 10 mm

BKS1610	16 mm <sup>2</sup>	PZ2	1.5 - 16	180 A / 690 V	40	50,00
BKS3510	35 mm <sup>2</sup>	SW13/PZ3	1.5 - 35	270 A / 690 V	20	73,00
BKS5010	50 mm <sup>2</sup>	SW13/PZ3	1.5 - 50	315 A / 690 V	20	92,00
BKS7010	70 mm <sup>2</sup>	SW13/PZ3	16 - 70	400 A / 690 V	10	129,00
BKS12010	120 mm <sup>2</sup>	SW17/PZ4	16 - 120	440 A / 690 V	10	211,00
BKS18510	185 mm <sup>2</sup>	SW17/PZ4	16 - 185	500 A / 690 V	10	265,00




Proizvodnja elektro instalacionog materijala export import  
Ovlašćeni distributer proizvoda M.Schneider Annaberg GmbH

Trg Oslobođenja 8 21400 Bačka Palanka  
Telefoni: 021/751-174; 6044-218; 754-650  
[www.el-co.rs](http://www.el-co.rs)  
el-co@nadlanu.com



## Kleme za pljosnate Cu 10 mm

Artikal	Tip	Ucvrscivanje zavrtanjem	Opseg (mm <sup>2</sup> )	max. A / max radni napon	Kom u pakovanju	Cena
BKSN12010	120 mm <sup>2</sup>	SW17/PZ3	16 - 120	440 A / 690 V	10	219,00
BKSN18510	185 mm <sup>2</sup>	SW17/PZ3	16 - 185	5000 A / 690 V	10	282,00



## dodatak: maska za kleme

BKC 16	pogodan BKS 1605 i BKS 1610				50	
--------	-----------------------------------	--	--	--	----	--



## kleme za sabirnice 12 x 5 mm 12 x 10 mm

786	95 mm <sup>2</sup>	SW13	16 - 95	400 A / 690 V	10	
-----	--------------------	------	---------	---------------	----	--



## kleme za sabirnice 30 x 5 mm 30 x 10 mm

793	35-120 mm <sup>2</sup>	SW13	16 - 95	400 A / 690 V	10	
-----	------------------------	------	---------	---------------	----	--





## Kleme za neutralni provodnik i uzemljenje

Artikal.	Boja	Tip	Ucvrscivanje zavrtnjem	max. A / max radni napon	Kom u pakovanju	Cena
870 N/7	plava	7 x 10 mm <sup>2</sup>	PZ2	63 A / 690 V	10	108,00
870 S/7	zelena/zuta	7 x 10 mm <sup>2</sup>	PZ2	63 A / 690 V	10	108,00
870 N/12	plava	12 x 10 mm <sup>2</sup>	PZ2	63 A / 690 V	10	156,00
870 S/12	zelena/zuta	12 x 10 mm <sup>2</sup>	PZ2	63 A / 690 V	10	156,00
870 N/15	plava	15 x 10 mm <sup>2</sup>	PZ2	63 A / 690 V	10	227,00
870 S/15	zelena/zuta	15 x 10 mm <sup>2</sup>	PZ2	63 A / 690 V	10	227,00
870 N/24	plava	20 x 10 mm <sup>2</sup> +4 x 16 mm <sup>2</sup>	PZ2	80 A / 690 V	10	335,00
870 S/24	zelena/zuta	20 x 10 mm <sup>2</sup> +4 x 16 mm <sup>2</sup>	PZ2	80 A / 690 V	10	335,00





Friedrich Göhringer GmbH  
www.ftg-goehringerr.de

### Kleme za 63 A

Artikal.	Boja	Tip	Ucvrscivanje zavrtnjem	max. A / max radni napon	Kom u pakovanju	Cena
870M		166 x 10 mm <sup>2</sup> duzina 1m	PZ2	63 A / 690 V	10	1.738,00
870M6/8		166 x 10 mm <sup>2</sup> duzina 1m	PZ2	63 A / 690 V	10	1.738,00
NPET 1	siva	Pogodan za DIN sinu			50	40,50



### Kleme za 63 A, postavljena na nosac za DIN sinu

870 KLS7		2 x 7 x 10 mm <sup>2</sup>	PZ2	63 A / 690 V	10	352,00
870 KLS12		2 x 12 x 10 mm <sup>2</sup>	PZ2	63 A / 690 V	10	470,00
870 KLS15		2 x 15 x 10 mm <sup>2</sup>	PZ2	63 A / 690 V	10	554,00



Proizvodnja elektro instalacionog materijala export import  
Ovlašćeni distributer proizvoda M.Schneider Annaberg GmbH

Trg Oslobođenja 8 21400 Bačka Palanka  
Telefoni: 021/751-174; 6044-218; 754-650  
[www.el-co.rs](http://www.el-co.rs) el-co@nadlanu.com


**FTG**Friedrich Göhringer GmbH  
www.ftg-goehringerr.deGlavna razvodna klema, zastitni kontakt do 25 mm<sup>2</sup>,  
sa pricvrscivanjem za DIN sinu 35 mm, VDE

Artikal.	Boja	Br faza	Tip	Ucvrscivanje zavrtanjem	max radni napon	Kom u pakovanju	Cena
KS 251	Siva	1	1 faza sa 4 x 25 mm <sup>2</sup>	PZ3	400 V	10	200,00
KS 251N	plava	1	1 faza sa 4 x 25 mm <sup>2</sup>	PZ3	400 V	10	200,00
KS 251PE	Zelena	1	1 faza sa 4 x 25 mm <sup>2</sup>	PZ3	400 V	10	200,00
KS 252	Siva	2	2 faze sa 4 x 25 mm <sup>2</sup>	PZ3	400 V	2	380,00
KS 252PE	1 x zelena, 1 x siva	2	2 faze sa 4 x 25 mm <sup>2</sup>	PZ3	400 V	2	380,00
KS 252NPE	1 x plava, 1 x zelena	2	2 faze sa 4 x 25 mm <sup>2</sup>	PZ3	400 V	2	380,00
KS 252N	1 x plava, 1 x siva	2	2 faze sa 4 x 25 mm <sup>2</sup>	PZ3	400 V	2	380,00
KS 253	siva	3	3 faze sa 4 x 25 mm <sup>2</sup>	PZ3	400 V	1	580,00
KS 254	Siva	4	4 faze sa 4 x 25 mm <sup>2</sup>	PZ3	400 V	1	760,00
KS 254N	3 x siva, 1 x plava	4	4 faze sa 4 x 25 mm <sup>2</sup>	PZ3	400 V	1	760,00

Proizvodnja elektro instalacionog materijala export import  
Ovlašćeni distributer proizvoda M.Schneider Annaberg GmbHTrg Oslobođenja 8 21400 Bačka Palanka  
Telefoni: 021/751-174; 6044-218; 754-650  
[www.el-co.rs](http://www.el-co.rs) el-co@nadlanu.com

**FTG**Friedrich Göhringer GmbH  
www.ftg-goehring.deGlavna razvodna klema, zastitni kontakt do 25 - 35 mm<sup>2</sup>,  
sa pricvrscivanjem za DIN sinu 35 mm, VDE

Artikal	Boja	Br faza	Tip	Ucvrscivanje zavrtanjem	max radni napon	Kom u pakovanju	Cena
KS 255	Siva	5	5 faze sa 4 x 25 mm <sup>2</sup>	PZ3	400 V	1	960,00
KS 255NPE	3 x siva, 1 x plava, 1 x zelena	5	5 faze sa 4 x 25 mm <sup>2</sup>	PZ3	400 V	1	960,00
KS 256N2PE	3 x siva 2 x plava sa 6 mm <sup>2</sup> premostom 1 x zelena	6	6 faze sa 4 x 25 mm <sup>2</sup>	PZ3	400 V	1	1.140,00
KS 351	Siva	1	1 faze sa 2 x 35 mm <sup>2</sup> 2x25 mm <sup>2</sup>	PZ3	400 V	10	615,00
KS 351N	Plava	1	1 faze sa 2 x 35 mm <sup>2</sup> 2x25 mm <sup>2</sup>	PZ3	400 V	10	615,00
KS 351PE	Zelena	1	1 faze sa 2 x 35 mm <sup>2</sup> 2x25 mm <sup>2</sup>	PZ3	400 V	10	615,00
KS 352	Siva	2	2 faze sa 2 x 35 mm <sup>2</sup> 2x25 mm <sup>2</sup>	PZ3	400 V	2	1.190,00
KS 352NPE	1 x plava, 1 x zelena	2	2 faze sa 2 x 35 mm <sup>2</sup> 2x25 mm <sup>2</sup>	PZ3	400 V	2	1.190,00
KS 352N	2 x plava	2	2 faze sa 2 x 35 mm <sup>2</sup> 2x25 mm <sup>2</sup>	PZ3	400 V	2	1.190,00
KS 353	Siva	3	3 faze sa 2 x 35 mm <sup>2</sup> 2x25 mm <sup>2</sup>	PZ3	400 V	1	1.805,00

Proizvodnja elektro instalacionog materijala export import  
Ovlašćeni distributer proizvoda M.Schneider Annaberg GmbHTrg Oslobođenja 8 21400 Bačka Palanka  
Telefoni: 021/751-174; 6044-218; 754-650  
[www.el-co.rs](http://www.el-co.rs) el-co@nadlanu.com

**FTG**Friedrich Göhringer GmbH  
www.ftg-goehringer.deGlavna razvodna klema, zastitni kontakt do 25 mm<sup>2</sup>,  
sa pricvrscivanjem za DIN sinu 35 mm, VDE

Artikal.	Boja	Br faza	Tip	Ucvrscivanje zavrtanjem	max radni napon	Kom u pakovanju	Cena
KS 354	Siva	4	4 faze sa 2 x 35 mm <sup>2</sup> 2x35 mm <sup>2</sup>	PZ3	400 V	1	2.380,00
KS 354N	3 x siva, 1 x plava	4	4 faze sa 2 x 35 mm <sup>2</sup> 2x35 mm <sup>2</sup>	PZ3	400 V	1	2.380,00
KS 355	Siva	5	5 faze sa 2 x 35 mm <sup>2</sup> 2x25 mm <sup>2</sup>	PZ3	400 V	1	2.995,00
KS 355NPE	3 x siva, 1 x plava 1 x zelena	5	5 faze sa 2 x 35 mm <sup>2</sup> 2x25 mm <sup>2</sup>	PZ3	400 V	1	2.995,00
KS 356N2PE	3 x siva, 2 x plava, 1 x zelena sa 6 mm <sup>2</sup> premostom	6	6 faze sa 2 x 35 mm <sup>2</sup> 2x25 mm <sup>2</sup>	PZ3	400 V	1	3.570,00



Dodatak spoljni prenosnik za neutralni provodnik

NLB 25/6	Plava	Pogodan 6 mm <sup>2</sup> za KS 25...	690 V	10
NLB 35/6	Plava	Pogodan 6 mm <sup>2</sup> za KS 35...	690 V	10
NLB 74/4	Plava	Pogodan 4 mm <sup>2</sup> za KS 74...	690 V	10

Proizvodnja elektro instalacionog materijala export import  
Ovlašćeni distributer proizvoda M.Schneider Annaberg GmbHTrg Oslobođenja 8 21400 Bačka Palanka  
Telefoni: 021/751-174; 6044-218; 754-650  
[www.el-co.rs](http://www.el-co.rs) el-co@nadlanu.com